

CHARTERED SURVEYORS PROPERTY CONSULTANTS

### **BY DIRECTION OF THE OWNERS MR AND MRS A AGATIELLO** FOR SALE

### TWO ADJACENT AND LINKED GROUND FLOOR LOCK UP SHOP UNITS



## **25/26 LICHFIELD STREET TAMWORTH B79 7QE**

### **AVAILABLE INDIVIDUALLY OR AS A SINGLE LOT** EACH SHOP SALES AREA 308 SQ.FT. (28.8 SQ.M.) PLUS STORAGE, ANCILLARIES ETC

### **PROMINENT POSITION OVERLOOKING LICHFIELD STREET** (PART OF TOWN LOOP ROAD SYSTEM)

### **PUBLIC PARKING TO THE FORE**

### EACH FOR SALE ON THE BASIS OF A 125 YEAR GROUND LEASE

### **EDGE OF TOWN CENTRE POSITION**

EACH PROPERTY £125.000 (VAT NOT APPLICABLE)

TELEPHONE: 01827 61144

FACSIMILE: 01827 310820

R26859

ns of fact. Any int

STAFFORDSHIRE B79 7HL RICS E-mail: enquiries@calderssurveyors.com www.calderssurveyors.com

3 VICTORIA ROAD TAMWORTH

### 25/26 Lichfield Street

Two prominently positioned ground floor lock-up retail shops adjacent to public parking and overlooking the very busy Lichfield Street which is part of the town centre loop road system.

The two properties are currently linked via a single pedestrian door way but are readily separated for individual sale or could be opened up to form one much larger retail unit.

Both properties have been used for many years as hairdressing salons and the vendor is open to offers which may include the existing chairs, hairdressing equipment, etc,.

Both properties are very well appointed internally with tiled floors, light fittings and a good standard of decoration.

In details the accommodation provided is:-

<u>No. 25</u>

Shop unit depth 6.48 metres by 4.42 metres width

- Kitchen: 2.23metres x 2.41 metres with stainless steel sink unit, base unit, wall mounted storage units and tiled floor.
- Lobby: With a door way to a shared rear amenity yard.

Wc/Wash: Fully fitted with a tiled floor.

### <u>No. 26</u>

Shop unit depth 6.46 metres x 4.44 metres width

With a tiled floor, light fittings and good standard of appointment.

- Store: 2.22 metres x 2.44 metres with tiled floor.
- Lobby: Having a tiled floor and a door way leading to the rear shared amenity yard, WC/wash being fully fitted and with tiled floor.



### **GENERAL INFORMATION**

VENDORS:	Mr. and Mrs. A. Agatiello
RATING ASSESSMENT:	No.25 Lichfield Street
	Rateable value 2017 list £3,700.00 Rates payable 2017/2018 - NIL
	No.26 Lichfield Street
	Rateable value 2017 list £3,700.00 Rates payable 2017/2018 - NIL
SERVICES:	Mains electricity, water and drainage are connected.
VIEWING:	Please contact the agents.
LEASE DOCUMENT:	Copy of this is available for inspection with the agents.
ENERGY PERFORMANCE CERTIFICATES:	No. 25 Lichfield Street
	This building has an Energy Performance Certificate (Certificate Number 0070-2992-0393- 0950-3090) and is rated G. This certificate and advisory notes can be Downloaded from the Government site <u>www.ndepcregister.com</u> . A copy of the Certificate is attached.
	No. 26 Lichfield Street
	This building has an Energy Performance Certificate (Certificate Number 0492-0477-1430- 9400-9303) and is rated G. This certificate and advisory notes can be Downloaded from the Government site <u>www.ndepcregister.com</u> . A copy of the Certificate is attached.
LOCAL AUTHORITY:	Tamworth Borough Council Marmion House Lichfield Street Tamworth B79 7BZ Telephone: 01827 709709
MEASUREMENTS & AREAS:	The measurements and floor areas quoted within these particulars should be regarded as approximate figures intended for guidance purposes only. Interested parties should carry out their own measurement survey prior to completion of a sale.

### PURPOSE OF THESE PARTICULARS

The information given in these particulars is intended to help you decide whether you wish to view this property and to avoid wasting your time in viewing unsuitable properties. We have tried to make sure that these particulars are accurate but to a large extent we have to rely on what the client tells us about the property. We are unable to verify every piece of information ourselves as the cost of doing so would be prohibitive and we do not wish to unnecessarily add to the cost of any transaction.

Once you find a suitable property you wish to occupy you will need to carry out more investigations into the property than it is practical or reasonable for an estate agent to do when preparing particulars. For example we have not carried out any kind of survey on the property to look for structural effects and would advise any interested parties to obtain a surveyor's report before committing themselves to a transaction. We have not checked whether any items of equipment with the property (such as heating systems) are in working order and would advise these are checked.

You should also instruct a solicitor to investigate all legal matters relating to the property. Your solicitor will also agree with the owner, landlord or assignor what items (for example fixtures and fittings) will be included in a transaction.

In addition to the above, please read the printed additional guidance on the bottom of the front page.

### CONDITIONS UNDER WHICH THESE PARTICULARS ARE ISSUED

**Calders Chartered Surveyors & Property Consultants** for themselves and for the vendors or lessors of this property, whose agents they are, give notice that these particulars are for guidance only and do not constitute any part of an offer or contract.

All descriptions, dimensions, references to condition and any necessary permissions for use and occupation together with all other details are given in good faith and are believed to be correct. However, any intending purchasers or tenants should not rely upon them as statements or representations of fact and must satisfy themselves by inspection or otherwise as to the correctness of each of them.

No person in the employment of Calders Chartered Surveyors & Property Consultants has any authority to make or give any representation or warranty whatsoever in relation to this property.

### **Fixtures, Fittings and Services**

Reference to any gas, electrical or other fixtures, fittings, appliances or services have not been tested and no warranty is given or implied as to their availability, adequacy, condition or effectiveness.

### VAT

Unless otherwise stated all prices and rentals quoted are exclusive of any Value Added Tax to which they may be subject.

#### Tenure

**Calders Chartered Surveyors & Property Consultants** have not had the opportunity to inspect any title documentation and intending purchasers or tenants should verify information through their legal advisor.

#### Rates / Water Rates

Verbal enquiries only have been made and interested parties are advised to verify figures direct with the appropriate authority.

#### **Environmental / Asbestos**

No environmental audit or investigation has been carried out on the property and no Environmental Report has been inspected. We have not carried out an inspection for asbestos and no Asbestos Register has been viewed. Potential purchasers/tenants should satisfy themselves on the above matters through enquiries of their Surveyor/Solicitor.

#### **Code of Practice on Commercial Leases**

You are advised that the code of practice on commercial leases in England & Wales strongly recommends that you seek professional advice from a qualified surveyor/solicitor or licensed conveyancer before agreeing or signing a business tenancy agreement.

This Code is available through professional institutions and trade associations or through the web site. <u>www.commercialleasecodeew.co.uk</u>

# Energy Performance Certificate

## HM Government

Non-Domestic Building


25 Lichfield Street TAMWORTH B79 7QE

### Certificate Reference Number: 0070-2992-0393-0950-3090

This certificate shows the energy rating of this building. It indicates the energy efficiency of the building fabric and the heating, ventilation, cooling and lighting systems. The rating is compared to two benchmarks for this type of building: one appropriate for new buildings and one appropriate for existing buildings. There is more advice on how to interpret this information in the guidance document *Energy Performance Certificates for the construction, sale and let of non-dwellings* available on the Government's website at

www.gov.uk/government/collections/energy-performance-certificates.

### Energy Performance Asset Rating



Less energy efficient

### **Technical Information**

Main heating fuel:	Grid Supplied Electricity	
Building environment:	Heating and Nat	ural Ventilation
Total useful floor area (m <sup>2</sup> ):		41
Building complexity (NOS level):		3
Building emission rate (kgCO <sub>2</sub> /m <sup>2</sup> per year):		224.09
Primary energy use (kWh/m <sup>2</sup> per year):		1325.51

### Benchmarks

Buildings similar to this one could have ratings as follows:



If newly built

If typical of the existing stock

#### Administrative Information

This is an Energy Performance Certificate as defined in the Energy Performance of Buildings Regulations 2012 as amended.

Assessment Software:	iSBEM v5.3.a using calculation engine SBEM v5.3.a.0	
Property Reference:	299923500000	
Assessor Name:	JOHN HARTLEY	
Assessor Number:	EES/001314	
Accreditation Scheme:	Elmhurst Energy Systems	
Employer/Trading Name:	ENERGY UPDATES LTD	
Employer/Trading Address:	6 PARKSIDE COURT, GREENHOUGH ROAD, LICHFIELD, WS13 7AU	
Issue Date:	09 Mar 2017	
Valid Until:	08 Mar 2027 (unless superseded by a later certificate)	
Related Party Disclosure:	Not related to the owner.	

Recommendations for improving the energy performance of the building are contained in the associated Recommendation Report -0070-2992-0393-0950-3090.

#### About this document and the data in it

This document has been produced following an energy assessment undertaken by a qualified Energy Assessor, accredited by Elmhurst Energy Systems. You can obtain contact details of the Accreditation Scheme at www.elmhurstenergy.co.uk.

A copy of this certificate has been lodged on a national register as a requirement under the Energy Performance of Buildings Regulations 2012 as amended. It will be made available via the online search function at www.ndepcregister.com. The certificate (including the building address) and other data about the building collected during the energy assessment but not shown on the certificate, for instance heating system data, will be made publicly available at www.opendatacommunities.org.

This certificate and other data about the building may be shared with other bodies (including government departments and enforcement agencies) for research, statistical and enforcement purposes. For further information about how data about the property are used, please visit www.ndepcregister.com. To opt out of having information about your building made publicly available, please visit www.ndepcregister.com/optout.

There is more information in the guidance document *Energy Performance Certificates for the construction, sale and let of non-dwellings* available on the Government website at:

www.gov.uk/government/collections/energy-performance-certificates. It explains the content and use of this document, advises on how to identify the authenticity of a certificate and how to make a complaint.

### Opportunity to benefit from a Green Deal on this property

The Green Deal can help you cut your energy bills by making energy efficiency improvements at no upfront costs. Use the Green Deal to find trusted advisors who will come to your property, recommend measures that are right for you and help you access a range of accredited installers. Responsibility for repayments stays with the property – whoever pays the energy bills benefits so they are responsible for the payments.

To find out how you could use Green Deal finance to improve your property please call 0300 123 1234.

# Energy Performance Certificate

## HM Government

Non-Domestic Building


26 Lichfield Street TAMWORTH B79 7QE

### Certificate Reference Number: 0492-0477-1430-9400-9303

This certificate shows the energy rating of this building. It indicates the energy efficiency of the building fabric and the heating, ventilation, cooling and lighting systems. The rating is compared to two benchmarks for this type of building: one appropriate for new buildings and one appropriate for existing buildings. There is more advice on how to interpret this information in the guidance document *Energy Performance Certificates for the construction, sale and let of non-dwellings* available on the Government's website at

www.gov.uk/government/collections/energy-performance-certificates.

### Energy Performance Asset Rating



Less energy efficient

### **Technical Information**

Main heating fuel:	Grid Supplied Electricity	
<b>Building environment:</b>	Heating and Nat	tural Ventilation
Total useful floor area (m <sup>2</sup> ):		41
Building complexity (NOS level):		3
Building emission rate (kgCO <sub>2</sub> /m <sup>2</sup> per year):		241.59
Primary energy use (kWh/m <sup>2</sup> per year):		1429.05

### Benchmarks

Buildings similar to this one could have ratings as follows:



If newly built

If typical of the existing stock

#### Administrative Information

This is an Energy Performance Certificate as defined in the Energy Performance of Buildings Regulations 2012 as amended.

Assessment Software:	ISBEM v5.3.a using calculation engine SBEM v5.3.a.0
Property Reference:	921444470000
Assessor Name:	JOHN HARTLEY
Assessor Number:	EES/001314
Accreditation Scheme:	Elmhurst Energy Systems
Employer/Trading Name:	ENERGY UPDATES LTD
Employer/Trading Address:	6 PARKSIDE COURT, GREENHOUGH ROAD, LICHFIELD, WS13 7AU
Issue Date:	09 Mar 2017
Valid Until:	08 Mar 2027 (unless superseded by a later certificate)
Related Party Disclosure:	Not related to the owner.

Recommendations for improving the energy performance of the building are contained in the associated Recommendation Report -0492-0477-1430-9400-9303.

#### About this document and the data in it

This document has been produced following an energy assessment undertaken by a qualified Energy Assessor, accredited by Elmhurst Energy Systems. You can obtain contact details of the Accreditation Scheme at www.elmhurstenergy.co.uk.

A copy of this certificate has been lodged on a national register as a requirement under the Energy Performance of Buildings Regulations 2012 as amended. It will be made available via the online search function at www.ndepcregister.com. The certificate (including the building address) and other data about the building collected during the energy assessment but not shown on the certificate, for instance heating system data, will be made publicly available at www.opendatacommunities.org.

This certificate and other data about the building may be shared with other bodies (including government departments and enforcement agencies) for research, statistical and enforcement purposes. For further information about how data about the property are used, please visit www.ndepcregister.com. To opt out of having information about your building made publicly available, please visit www.ndepcregister.com/optout.

There is more information in the guidance document *Energy Performance Certificates for the construction, sale and let of non-dwellings* available on the Government website at:

www.gov.uk/government/collections/energy-performance-certificates. It explains the content and use of this document, advises on how to identify the authenticity of a certificate and how to make a complaint.

#### Opportunity to benefit from a Green Deal on this property

The Green Deal can help you cut your energy bills by making energy efficiency improvements at no upfront costs. Use the Green Deal to find trusted advisors who will come to your property, recommend measures that are right for you and help you access a range of accredited installers. Responsibility for repayments stays with the property – whoever pays the energy bills benefits so they are responsible for the payments.

To find out how you could use Green Deal finance to improve your property please call 0300 123 1234.

